

INVITATION LETTER

| Package Code: TEQIP-III/2019/JK/gcej/213 | Current Date: 13-Aug-2019 |
|---|---------------------------|
| Package Name: TEQIP-III/GCET/E&C/Microwave Lab. | Method: Shopping Goods |

| To, | | | |
|-----|--|--|--|
| | | | |

Sub: INVITATION LETTER FOR TEQIP-III/GCET/E&C/Microwave Lab.

Dear Sir,

1. You are invited to submit your most competitive quotation for the following goods with item wise detailed specifications given at Annexure I.

| Sr. No | Item Name | Quantity | Specifications | Place of Delivery | Installation Requirement (if any) |
|--------|----------------------|----------|---|--|---|
| 1 | Microwave Benches | 1 | (Detailed Specifications as per Annexure-I) | Govt. College of Engg. & Technology Chak Bhalwal, Jammu-181122 (J&K) | Yes |

2. Government of India has received a credit from the International Development Association (IDA) towards the cost of the Technical Education Quality Improvement Programme [TEQIP]-Phase III Project and intends to apply part of the proceeds of this credit to eligible payments under the contract for which this invitation for quotations is issued.

3. Quotation

- 3.1 The contract shall be for the full quantity as described above.
- 3.2 Corrections, if any, shall be made by crossing out, initialling, dating and re writing.
- 3.3 All duties and other levies payable by the supplier under the contract shall be included in the unit Price.
- 3.4 Applicable taxes shall be quoted separately for all items.
- 3.5 The prices quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.



- 3.6 The Prices should be quoted in Indian Rupees only.
- **4.** Each bidder shall submit only one quotation.
- **5.** Quotation shall remain valid for a period not less than **55**days after the last date of quotation submission.
- **6.** Evaluation of Quotations: The Purchaser will evaluate and compare the quotations determined to be Substantially responsive i.e. which
 - 6.1 are properly signed; and
 - 6.2 Confirm to the terms and conditions, and specifications.
- **7.** The Quotations would be evaluated for all items together.
- **8.** Award of contract The Purchaser will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has offered the lowest evaluated quotation price.
 - 8.1 Notwithstanding the above, the Purchaser reserves the right to accept or reject any quotations and to cancel the bidding process and reject all quotations at any time prior to the award of Contract.
 - 8.2 The bidder whose bid is accepted will be notified of the award of contract by the Purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be Incorporated in the purchase order.
- **9.** Payment shall be made in Indian Rupees as follows:

Supply, Installation and Inspection report - 100% of total cost

10. Liquidated Damages (L.D):

If a supplier fails to execute the order in time as per the terms and conditions stipulated therein, it will be open to the purchaser to recover liquidated damages for delay in delivery and installation from the supplier at the rate 0.5% of the value of the order per week subject to a maximum of 10% of the total order value. The L.D charges can be increased in case of gross violation of the Purchase Order terms as decided by the Principal of the Institute.

- **11.** All supplied items are under warranty of **24**months from the date of successful acceptance of items and AMC/Others is **NA**.
- 12. You are requested to provide your offer latest by 16:00 hours on 30-Aug-2019.
- **13.** Detailed specifications of the items are at Annexure I.
- 14. Training Clause (if any) YES
- 15. Testing/Installation Clause (if any) YES
- 16. Performance Security: The supplier shall require to submit the performance security in the form of irrevocable bank guarantee issued by any Nationalized /Commercial bank for an amount of 10% of the Invoice value within 15 days from the date of receipt of the purchase order/LC and should be kept valid for a period of 60 days beyond the date of completion of warranty period
- **17.** Information brochures/ Product catalogue, if any must be accompanied with the quotation clearly indicating the model quoted for.



- 18. Sealed quotation to be submitted/ delivered at the address mentioned below, Government College
 - of Engineering and Technology, Chak Bhalwal, Jammu
 - 19. The offer/bid should be submitted in two bid systems (i.e.) Technical bid and Financial bid as per the format mentioned in Annexure- II & III.

20. Technical Bid:

The technical bid comprising of following documents should be sealed in envelope "A" mentioning Technical Bid on top of the envelope. The envelope must mention package no. and name.

- i) The Technical Bid should be submitted as per the bid format. (Annexure-II)
- ii) A compliance list against the technical specifications as per Annexure-I should be provided.
- iii) Proof of Registration of the bidder.
- v) Copies of PAN Card and GST registration no.
- vi) Signed copy of the tender document, with company seal, agreeing to the terms & conditions must be submitted.

All documentary proof must be listed on the letterhead of the company. This part of bid should not contain any "Price information".

21. Financial Bid:

- i) Financial bid should indicate item wise price for the items mentioned in the technical bid as per the format. (Annexure-III)
- ii) The price quoted should be F.O.R GCET Jammu.
- iii) All duties and other levies payable by the supplier under the contract shall be included in the unit price.
- iv) The prices quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
- v) The Prices should be quoted in Indian Rupees only.
- vi) The Financial bid should be sealed in envelope "B" mentioning Financial Bid on top of the envelope. The envelope must mention package no. and name.
- 22. Both the envelopes (containing Technical Bid and Financial Bid) should be packed in a big envelope and should subscribe the Shopping/Package No. and Name.

23. Opening of Bids:

- i) The technical bid will be opened first and it will be examined by a technical committee (as per specification and requirement mentioned in the NIQ).
- ii) The financial offer/bid will be opened only for the technically qualified bidders/vendors as decided by the technical committee, and will be opened subsequently for further price comparison.
- 24. Tenderer or his/her authorized representative (with proper authorization letter for opening of technical bids and also for opening of price bids) may choose to be present at the time of opening of Technical bids/Price Bids.
- 25. The Institute reserves the right to reject any bid not fulfilling the eligibility criteria.
- **26. Supply of Items:** Free of cost at GCET Jammu by the vendor.

27. IMPORTANT:

- i) A bid submitted with false information will not only be rejected but also the OEM/vendor will be debarred from participation in future tendering process.
- ii) Each bidder shall submit only one quotation
- iii) In case of any dispute, the decision of the Principal of this Institute shall be final and binding on the bidders.
- iv) In case the due date for submission of the tender happens to be a holiday, the same will be accepted on the next working day.



- v) The Authority of GCET Jammu reserves the right to reject any or the entire tender bids received without assigning any reason thereof.
- vi) The technical bid will be evaluated first and price bids will be opened in respect of those OEMs/Vendors, who are found technically qualified after evaluation of Technical bids.
- vii) Bidder should submit the tender document, duly signed and stamped on every page in token of accepted all the terms and conditions of the tender.
- viii) The institute does not bind itself to offer any explanation to those bidders whose technical bids have not been found acceptable by the technical evaluation committee of the institution.
- ix) The bids (Technical & Financial) once submitted will be the property of the institute.
- x) Declaration and Authorisation form to be attached with Tender as per Annexure IV and Annexure-V.
- 28. We look forward to receiving your quotation and thank you for your interest in this project.



(1). KLYSTRON POWER SUPPLY: - 4no

| Input Votage | 230VAC, +/- 10%, 50 Hz | |
|-------------------------|------------------------------------|--------------------------------------|
| Beam Supply | Voltage : 240- 400 Vdc, Va | ariable Current : 50 mA |
| | Regulation: 0.5% for 10% | I/p variation Ripple: <5mv RMS |
| Repeller Supply | 10-270 Vdc, Variable Regi | ulation: 0.25% for 10% I/p variation |
| Filament Supply | 6.3 V dc | |
| Over- load Trip Current | 65 mA | |
| Modulation | AM (Square) | FM (Saw - Tooth) |
| Frequency Range | 500-2500 Hz | 150-300 Hz |
| Amplitude | 0-110 V | 0-65 V |
| External | Through external Modulating Signal | |

(2). KLYSTRON MOUNT :-4no

| Freq Range (GHz) | 8.2 – 12.4 |
|----------------------|------------|
| Waveguide Type (WR-) | 90 |
| Flange Type (UG-/U) | 39 |

(3). KLYSTRON TUBE :-4no

2 K 25/ 2K 27

(4). ISOLATOR :-4no

| Frequency Range (GHz) | 8.2-10.2 Or 10.2-12.2 |
|--------------------------|--------------------------|
| Min. Isolation (db) | 20 |
| Min. Insertion Loss (db) | 0.4 |
| Max. VSWR | 1.2 |

(5). FREQUENCY METER - DIRECT READING TYPE: -4no

| Frequency Range (GHz) | 8.2-12.4 |
|-----------------------|----------|
| Waveguide Type (WR-) | 90 |
| Flange Type (UG-/U) | 39 |

(6). VARIABLE ATTENUATOR : -4no

| Frequency Range (GHz) | 8.2-12.4 |
|-----------------------------------|----------|
| Max. VSWR | 1.10 |
| Av. Power (watts) | 50 W |
| Max. Insertion Loss (db) | 0.2 |
| Waveguide Type (WR-) | 90 |
| Attenuation Level with dial scale | 20 db |
| Flange Type (UG-/U) | 39 |

(7). SLOTTED SECTION :- 4no

| Frequency Range (GHz) | 8.2-12.4 |
|-----------------------|----------|
| Max Residual VSWR | 1.01 |
| Waveguide Type (WR-) | 90 |
| Flange Type (UG-/U) | 39 |

(8). TUNABLE PROBE :- 4no

| Freq Range (GHz) | 8.2-12.4 |
|------------------|----------|
| Output Connector | BNC(F) |
| Detector | IN23 |

(9). DETECTOR MOUNT :- 4no

| Freq Range (GHz) | 8.2-12.4 |
|----------------------|----------|
| Output Connector | BNC(F) |
| Waveguide Type (WR-) | 90 |
| Flange Type (UG-/U) | 39 |
| Detector | IN23 |

(10). MOVABLE SHORTS: - 4no

| Frequency Range (GHz) | 8.20-12.4 |
|-----------------------|-----------|
| Waveguide Type (WR-) | 90 |
| Flange Type (UG-/U) | 39 |

(11). MATCHED TERMINATIONS: 4no

| Frequency Range (GHz) | 8.20-12.4 | | |
|-----------------------|-----------|--|--|
| Max VSWR | 1.04 | | |
| Av. Power Rating (W) | 2.0 | | |
| Waveguide Type (WR-) | 90 | | |
| Frange Type (UG-/U) | 90 | | |

(12.) SWR METER: 4no

| Input Votage | 230VAC, +/- 10%, 50 Hz | | |
|-----------------|---|--|--|
| Input Connector | BNC(F) | | |
| Sensitivity | 0.2 micro volts at a 200 ohm input for full scale | | |
| | deflection | | |
| Range | 70 dB input attenuation | | |

(13). SLIDE SCREW TUNERS :-2 no.

| Frequency Range (GHz) | 8.20-12.4 |
|-----------------------|-----------|
| Waveguide Type (WR-) | 90 |
| Flange Type (UG-/U) | 39 |

(14). FIXED ATTENUATOR: 2 no.

| Frequency Range (GHz) | 8.2-12.4 | | | |
|---------------------------|-----------|--|--|--|
| Attenuation (db) | 3,6,10,20 | | | |
| Calibration Accuracy (db) | +/-0.20 | | | |
| Av. Power (watts) | 2 | | | |
| Max. VSWR | 1.10 | | | |
| Max. Insertion Loss (db) | 0.2 | | | |
| | | | | |
| Waveguide Type (WR-) | 90 | | | |
| Flange Type (UG-/U) | 39 | | | |

(15). MAGIC TEE: 2 no.

| Frequency Range (GHz) | 8.2-12.4 |
|-----------------------|----------|
| Waveguide Type (WR-) | 90 |
| Flange Type (UG-/U) | 39 |

(16). GUNN POWER SUPPLY :- 2 no.

| Voltage range | 0 to 12 Volts (positive) | | |
|--------------------|--|--|--|
| Current | 750mA (max.) | | |
| Stability | 0.2% for +/-10% variation of the main supply | | |
| Ripple | 1mV rms. | | |
| Modulation voltage | 0 to +/-10Volts (p-p) | | |
| Frequency | 800-1100Hz | | |
| Output connector | BNC(F) | | |

(17). GUNN OSCILLATOR:2 no.

| Max. Power output | 25mW |
|-----------------------|----------|
| Max. Bias voltage | 10V |
| Frequency Range (GHz) | 8.2-12.4 |
| Output Connector | BNC(F) |
| Waveguide Type (WR-) | 90 |

(18). PIN MODULATOR :2 no.

| Max. Bias voltage | 10V | | |
|----------------------|--------|--|--|
| Output Connector | TNC(F) | | |
| Waveguide Type (WR-) | 90 | | |

(19). COOLING FAN:-4no.

For Klystron tube



^{***}Also requires the support system where the above mentioned components have be placed.

TECHNICAL BID DOCUMENT

FORMAT TO BE FILLED BY THE OEM OR AUTHORIZED VENDORS FOR SUBMITTING TENDER FOR PROCUREMENT OF _____

| 1. | Name of the Tenderer | : | | | | |
|-------|---|-----|------|----|--------|-------------|
| 2. | Details of Address of the Vendors (Attach details) | : | | | | |
| 3. | Proof of Registration or trade license (Attach copies) | : | | | | |
| 4. | PAN and GST registration no (attach copies) | : | | | | |
| | ed that all above information are correct to edge and belief. | the | best | of | my/our | information |
| Dated | signature & seal of the OEM/Vendor | | | | | |



ANNEXURE-IV

<< Organization Letter Head >> <u>DECLARATION SHEET</u>

| We, information and data furnished by our organization specifications are true and complete to the best of our kind the specifications, conditions and stipulations in details requirements and intent of specification. | nowledge. I have gone through |
|--|---------------------------------|
| We further certify that our organization meets all the cordown in this tender document. Moreover, OEM has agree with technology / product updates and extend support for | eed to support on regular basis |
| We, further specifically certify that our organization has Listed or put to any Holiday by any Institutional Ager Sector Undertaking in the last three years. | |
| The prices quoted in the financial bids are subsidized du GCET Jammu. | e to academic discount given to |
| NAME & ADDRESS OF THE Vendor/ Manufacturer / Agent Phone Fax E-mail Contact Person Name Mobile Number GSTIN Number PAN Number (Signature of the Tenderer) | |
| I | Name: |
| | Seal of the Company |



ANNEXURE- V

MANUFACTURERS' AUTHORIZATION FORM

[The Tenderer shall require the Manufacturer to fill in this Form in accordance with the instructions indicated. This letter of authorization should be on the letterhead of the Manufacturer and should be signed by a person with the proper authority to sign documents that are binding on the Manufacturer. Date: [insert date (as day, month and year) of Bid Submission]

Tender No.: [insert number from Invitation for Bids]

To: [insert complete name and address of Purchaser]

WHEREAS

We [insert complete name of Manufacturer], who are official manufacturers of [insert type of goods manufactured], having factories at [insert full address of Manufacturer's factories], do hereby author-ize [insert complete name of Tenderer] to submit a bid the purpose of which is to provide the followingGoods, manufactured by us [insert name and or brief description of the Goods], and to subsequently negotiate and sign the Contract.

We hereby extend our full guarantee and warranty as mentioned in the terms and conditions of the tender document, with respect to the Goods offered by the above firm.

Signed: [insert signature(s) of authorized representative(s) of the Manufacturer]

Name: [insert complete name(s) of authorized representative(s) of the Manufacturer]

Title: [insert title]

Duly authorized to sign this Authorization on behalf of: [insert complete name of Tenderer]

| Dated on | day of | ,[insert date of signing |] |
|----------|--------|--------------------------|---|
| | | | |



FORMAT FOR QUOTATION SUBMISSION

(In letterhead of the supplier with seal)

| Date: | | | | | | | |
|--|--|---|---|--|---|---------------------------|-------------------------------------|
| To: | | | | | | | |
| SI. No. | Description of goods \ (with full Specifications) | Qty. | Unit | Quoted Unit rate in Rs. (Including Ex-Factory price, excise duty, packing and forwarding, transportation, insurance, other local costs incidental to delivery and warranty/ guaranty commitments) | Total Price (A) | Sales tax and | other taxes payable In figures (B) |
| | | | Total C | ost | | | |
| (Rupees — We confirm terms and of We hereby Signature of Name:Address: _ | an that the normal conditions as ment conditions as ment | e good nount in comme coned i e taken | ds in ac n words rcial wa n the In | cordance with the technical specification in the period specified in the Invitation of the Invitation | ntion for Quotations. Inonths shall apply to | o the offered items and v | |

